



DEPARTMENT OF METALLURGY AND MATERIALS ENGINEERING



COEP TECHNOLOGICAL UNIVERSITY

(A UNITARY PUBLIC UNIVERSITY OF GOVERNMENT OF MAHARASHTRA)
(FORMERLY COLLEGE OF ENGINEERING PUNE)

Information Booklet

DEPARTMENT OF METALLURGY & MATERIALS ENGINEERING

- The department of Metallurgical Engineering was established in 1948.
- The department is known in India for excellence in technical education research, and industrial consultancy.
- NBA Accredited B.Tech. and M.Tech. Programs. Department also offers Ph.D. program.
- Faculty members with their academic research and consultancy activities in various areas of materials engineering and technology science.

VISION

- To achieve global excellence in quality of Metallurgical and Materials engineering education imparted and become the leading Department in the nation in frontier areas of Metallurgical and Materials engineering technology that offers relevant training, research and development for the students, society, and country.

MISSION

- M₁ : To foster creativity, innovation, productivity and build an awareness of social responsibilities in students necessary for development of the individual and the country.
- M₂ : To provide students the highest quality knowledge base and skill set of the fundamental and applied concepts of the Metallurgical and Materials engineering field towards achieving professional excellence.
- M₃ : To make the students capable of offering technical support to the industry and accept the challenges of changing modern technologies.
- M₄ : To inculcate capabilities in students to function as educators and scientists instrumental in invention of new technologies in the country and also to function as entrepreneurs.

Collaborations

Industry Collaborations

- Coventya India Pvt. Ltd.
- Cummins India Ltd.
- Ador Welding Ltd.
- ARAI
- N. D. Gupta Enterprises
- JSW Steels Ltd.
- Ghordia Steels
- Jai Hind Industries,
- AVI Oilless Die Comp.P. Ltd.,

Industry Sponsorship


- Rs. 25 Lacks in 2014 for Advanced Materials Lab. Eaton Technologies Ltd.
- Firodia group has supported for building infrastructure of Rs. 5.5 Cr

Academic Collaborations

- ARAI
- ARDE
- DIAT
- C-MET
- Tridiagonal Solutions Pvt. Ltd (FactSage)
- Jaya Hind Industries Pvt. Ltd.
- Force Motors

International Collaborations

- Institute of Chemistry and Technology of Macromolecular Materials, University of Pardubice, Czech Republic.
- Department of Chemistry, Aristotle University of Thessaloniki, Greece
- Laboratory of Conducting Polymer, Institute of Macromolecule Chemistry Czech Republic.
- Department of Coating and polymeric materials North Dakota State University Fargo USA



DEPARTMENT OF METALLURGY AND MATERIALS ENGINEERING COEP TECHNOLOGICAL UNIVERSITY



- ***Open to outsiders on chargeable basis for testing and characterization work***

Material Characterization

X-Ray Diffraction (XRD) Bruker, D8 Advance with Davinci Design



- Fully equipped lab with XRD machine (**Bruker, D8 advance**) **with davinci design** for characterization and analysis and use for
- Phase Identification
- Crystalline size measurement
- Residual Stress measurement
- Retained austenite measurement
- Profile fitting
- Quantitative Analysis
- Smallest increment: 0.0001°
- Sample Size: Powder 5 gm; Solid sample :dia. & thick < 5 cm

Field Emission Scanning Electron Microscopy (FE-SEM) (up to 8,00,000 X), Carl Zeiss



- FE-SEM, (Carl Zeiss, Sigma 40) use for
- Failure analysis
- Investigation of defects
- Surface topography
- Elemental analysis (EDS)
- Microstructural analysis of inclusion & others
- HAZ in weld metals
- High resolution images of ferrite, pearlite, martensite, austenite etc.
- Resolution: 1 nm or better @ 30 KV or 1.5 nm or better @ 15 KV or 3 nm or better @ 1 KV
- Record images from 15 X to 8,00,000 X magnification
- Sample Size: 15 x 15 x 15 mm max, Powder 1 gm max

Advanced Material Technology Lab.

FTIR (Fourier Transform Infrared Spectroscopy) 4100, JASCO



- Fully equipped lab with FTIR (Fourier Transform Infrared Spectroscopy) 4100, JASCO use for
- Structural analysis of matrix and composite
- Identification of unknown compounds
- Quantitative information like additives or contaminants
- Kinetic information through the growth or decay of infrared absorptions
- failure analysis
- Measurement wave number range 7,800 to 350 cm^{-1}
- Wave number accuracy: Within $\pm 0.01 \text{ cm}^{-1}$
- Resolution: 0.9 cm^{-1}

UV spectrophotometer, V630, JASCO



- UV spectrophotometer, V630, Jasco use for chemical analysis
- Quantities and qualitative analysis
- Detection of impurities,
- Wavelength range: 190 to 1100 nm
- Wavelength accuracy: $\pm 0.2 \text{ nm}$ (at 656.1 nm)
- Wavelength repeatability: $\pm 0.1 \text{ nm}$
- Photometric range: $\pm 10000 \%T$, - 2 to 3 Abs

DSC TGA, Linseis STA 1600 ,(up to 1000°C)



- Linseis STA 1600 use for simultaneous changes of mass (TG) and caloric reactions (HDSC) of a sample
- Temperature: -150° C up to 1600° C
- Sample size :dia . 4-6 mm, length - 10-50 mm, mass- 5 to 50 g,
- Resolution :0.025 µg
- Vacuum: 10⁻⁵ mbar

- Caloric reactions (HDSC) include
- Enthalpy,
- Melting energy
- Specific heat
- Glass point
- Crystallinity
- Reaction enthalpy
- Thermal stability
- Oxidation stability
- Aging and Purity
- Phase transformation

BET Surface Analyzer



- Use for surface area measurement of minerals, powdered metals, organic materials etc.
- Range : $0.1 \text{ m}^2/\text{gm}$ - $2500 \text{ m}^2/\text{gm}$
- Reproducibility : Better than $\pm 3\%$
- Accuracy : Better than $\pm 5\%$
- Analysis Time : Around 10-15 minutes/sample

Dilatometer-801 , TA Instruments



- DIL 801 TA Instruments use for dilatometric tests, under vacuum inert gas , air. for ceramics, glasses, metals, and polymers etc.
- Sample Size Solid $< 1 \times 1 \times 1 \text{ mm}$
Powder $< 1 \text{ gm}$
- Temperature range: RT to 1500°C
- Length Resolution: 10 nm
- Temperature Resolution: 0.05°C
- Accuracy in α : $0.03 \times 10^{-6} \text{ K}^{-1}$
- Contact force: 0.02 to 1 N,


Muffle furnace (up to 1700°C) Therelek



- Muffle furnace Therelek
- Temperature: 1700°C
- Heating Elements: molybdenum disilicide (MoSi_2)
- Heating chamber: $2500 \times 150 \times 150 \text{ mm}$ (L*W*H)

Corrosion and Surface Protection Lab.

Galvanostat/ Potentiostat Interface 1000 (Gamry)



- Use for testing of physical electrochemistry,
- Electrochemical corrosion
- Paint, coatings and sensors
- Current Range: 9 (10 nA - 1 A)
- Max. Current : ± 1 A
- Noise and ripple < 20 μ V rms
- Min. current resolution : 3.3 fA
- Impedance measurements: up to 1 MHz

Cyclic Corrosion Test, Equilam



- Cyclic Corrosion Test , C.C.T – CORR Series, Equilam
- Mode: Salt spray(Salt Fog) Condensed humidity, Natural dry, dry off, spray, Climatization etc.
- Analysis of corrosion resistance of materials and surface coatings as per ASTM B117 – ASTM G 85 – ISO 9227 – JIS Z 2374 – DIN 50021
- Volume: 3000 L
- Temperature: 5° – 75° C
- Resolution of temperature controller: 0.1° C.

Polymer and Composite Lab.

TGA 4000, Perkin Elmer



- Use for Sample volatility, Moisture content, Oxidation stability, Decomposition temperatures, Carbon black content, Performance of stabilizers, Ash Content
- Temperature: 1000 °C

Differential Scanning Calorimeter (DSC)Q20, TA Instruments



- DSC Q20(TA instruments) use for measure temperatures and heat flows
- Glass transitions, “cold” crystallization, phase changes, melting, crystallization,
- product stability, kinetics
- Temperature: RT to 725° C
- Accuracy +/- 0.1° C
- Precision +/- 0.05° C

Universal Testing Machines (2T), Universal Motion Inc.



- Used for polymer and composites testing such as tension,
- compression,
- bend flexural
- Capacity: 2000 Kg
- Load accuracy: 0.2 % on full scale
- Distance between grips: 25-800 mm
- Least count: 0.1 Kg/1Kgf

Pin on Disc Wear testing M/C (Ducom)



- Analysis of wear resistance, Friction and tribological properties with or without lubricants
- Wear Measurement: 0 to 1200 μm
- Rotational Speed: 200 to 2000 rpm
- Load: Up to 200 N
- Frictional Force Measurement: up to 200 N

Cryogenic Furnace



- Use for cryogenic treatment for various materials
- Temperatures : low as -185°C , Liquid nitrogen bath with computerized control of thermal cycles.
- Capacity (bath): 2*2*2.5 Ft. (L*W*D)

Sieve Shaker



- Sieve Shaker - Motorised ROTAP, HS31.20 HEICO,
- Capacity: up to seven sieves of 200 mm dia.
- Mesh size 37 to 853 etc

Metallographic and Microstructure Analysis

Stereo-Microscope (25 X to 100 X)



- STEMI 2000C (Carl Zeiss, Germany) Use for
- Surface analysis
- Magnification: 25 to 100 X,
- Working Distance: 100mm,
- Bright and dark illumination
- Model: Axiovert 40 Mat (Carl Zeiss, Germany)
- Magnification: up to 500 X

Laser Material Processing laboratory



- 400 W Fiber Laser with CNC XY Table.

All types of hardness testing machines are available including Brinell, Rockwell, Vickers, Durometer hardness testing, Micro hardness testing machine, Scratch Tester etc. Charpy Impact Tester and Izod Impact Tester are also available.

Materials Testing and Analysis

Universal Testing Machines (10T, 20T,60T)



- Load capacities: 10T, 20T (Servo control) and 60T
- Statistical evaluations of Results
- Load Stabilizer at any point of time for duration of maximum 1 Hr (for 20T)
- High temperature testing up to 1000 °C (for 20T) UTM
- Electronic Extensometer attachment

Micro Hardness Tester (1 to 1000 gm)



- Micro hardness tester Future Tech FM-700, use for
- Hardness traverse
- Phase hardness
- Effective case depth measurement
- Load: 1 to 1000 gm

Atomic Absorption Spectrometer



- AA-6300 SHIMADZU, Japan
- with wide range of lamps for analyzing elements such as Fe, Ni, Co, V, W, Mo, Hg, Cd, Li, Bi, Mn, Sb, Nb, Cu, La, Al, Si, Sn, Zn, Pb, Mg, Ca, Be, Na, K, P, In, Ga.
- Gold (Au) and Silver (Ag)
- Accuracy: 0.1 ppm

Other Facilities

4 Point Probe Conductivity Meter, Lucas Lab



- Used for conductivity measurement
- Dual Configuration test method as per ASTM F84,
- standard range: $1 \text{ m}\Omega$ to $800 \text{ K}\Omega$ per square

Pendulum Impact Tester, IT-30, FIE



- Pendulum Impact Tester, IT-30, FIE, use for Izod and Charpy test as per BS:131-4 & BSEN:10045- 2
- Maximum Capacity Izod: 300 J
- Maximum Capacity Charpy : 168 J
- Max. Scale Graduation: 2 J

Upcoming Facilities / Equipment

- Microwave Sintering Furnace
- Creep Testing Machine
- Laser Particle Size Analyzer
- Vacuum Induction Melting Furnace
- Cold Iso -static Pressing

Contact Us

Faculty Name	Specialization & Research Interest	Contact details (E-mail Id)
Dr. M. G. Kulthe (HoD)	Polymer micro and nanocomposites for electronic and biomedical application, Nanomaterials.	hod.meta@coeptech.ac.in mkgk.meta@coeptech.ac.in 020-2550 7800
Prof. S. P. Butee	Electroceramics, Thermomechanical treatment of microalloyed steels, Oxide dispersion strengthened steels	spb.meta@coep.ac.in
Prof . N. B. Dhokey	Tribology of materials, Powder Metallurgy and cryogenic, treatment of materials. Alloy design	nbd.meta@coep.ac.in
Prof. M. J. Rathod	Friction Stir Processing, Laser Material Processing, Material Joining , Casting Technology	mjr.meta@coep.ac.in
Dr. P. P. Deshpande	Conducting Polymers & Organic, Coatings for Corrosion Protection, High Temperature Corrosion	ppd.meta@coep.ac.in
Dr. S.U. Dangrikar	Physical Metallurgy of ferrous and nonferrous alloys. Thermomechanical Processing, Powder Metallurgy	sud.meta@coep.ac.in
Dr. V. T. Thavale	Chemical Analysis , Powder Metallurgy Tribology,	vtt.meta@coep.ac.in
Dr. A. M. More	Thermomechanical Processing, Light Metals and Alloys	amm.meta@coep.ac.in
Dr. K. R. Kambale	Ceramics processing, Dielectric, ferroelectric and piezoelectric materials, Solid electrolytes for batteries and fuel cells, Glasses and glass ceramics	krk.meta@coep.ac.in
Prof. Madhu Ranjan	Steel Processing, Galvanizing, Rolling	ranjanm.meta@coep.ac.in
Prof. S.B. Sarkar	Iron making, & Steel making, Ferroalloys, Forging, Heat Treatment, Phase Transformation, Design Selection of Materials, Failure analysis	sarkars.meta@coep.ac.in
Mr. A. P. Pacharne	Heat treatment, Biomedical Material ,Wire drawing, Corrosion protection	app.meta@coep.ac.in
Mrs. A. N. Shinde	Physical metallurgy, Residual stress and distortion, Stress corrosion cracking	ans.meta@coep.ac.in
Prof. Bhanu Pant	Aerospace materials, Green Energy and Materials Technologies for Electric Vehicles, Forging Technology.	bp.meta@coep.ac.in
Prof. S. G. Pawar	Foundry Technology (Ferrous and Non-Ferrous)	sgp.meta@coep.ac.in

75th year celebrations

- *The department of Metallurgical Engineering was established in 1948.*
- *This Year 2022-23, the Department of Metallurgy and Materials Science, College of Engineering Pune (COEP) is celebrating its 75 years of glorious service to the Nation.*
- *Department is organizing various technical activities and alumni meet throughout the year.*

